

Vitago Collection
22/23



Gebbwork

OFFICE
FURNITURE



Gebb Work

Gebb Work is located in Bento Gonçalves, in Serra Gaúcha. Founded in 2008, it is a consolidated company recognized in the national market as one of the main manufacturers of office furniture, being a specialist in this segment.

It has modern facilities in an industrial park with more than 40 thousand m² of area. We are present in more than 1000 points of sale throughout the national territory, and we have international operations in 8 countries.

The company sustainability policy is based on innovation, on the constant search to offer the market the best cost-benefit ratio, flexibility and agility. Everything becomes possible because we have a team of Collaborators, Commercial

Representatives and Suppliers who are committed to the company goals.

Our business purpose is clear and supported by the trusting relationships we build with our business partners.

“We believe that spaces inspire people.”

What defines Gebb Work is the incessant search for the satisfaction of each client.



To attest the confidence we have in our products and manufacturing processes, we offer a 5-year warranty to Gebb Work furniture clients.



Vitago Collection

At Gebb Work, we aim to combine design, technology and ergonomics to deliver furniture that meets the needs of people in corporate spaces.

Based on research and development, we created Vitago, a line that stands out for being complete, versatile and authentic.

Vitago presents itself to the corporate furniture market carrying intrinsically specific characteristics and differentials to reach the scope for which it is intended.

The Collection exhibits several innovations in tables, featuring the natural wood veneer as a highlight, models of easel-shaped LEGS made of solid wood, in addition to electric leveling tables that allow the height adjustment of their top enabling variation of posture during the work day.

As a result, we present an elegant and surprising solution that fits all corporate projects.



Vitago Collection



Executive

Dom Line

8 - 17



Management

Lexus Prime Line

18 - 27



Staff

Lexus Line

28 - 59



Reception

60 - 67

Complements

Infinity

70

Lockers

72

Call Center

74

Complements

80

Accessories

82

01

VITAGO COLLECTION



Executive

Dom Line



Combining design, quality and robustness, Dom Line presents solutions for executive offices and CONFERENCE rooms. With 40mm tops with a 45°degree finish and refined color choices, this range is perfect for board of directors and executive management areas.



TECHNICAL CHARACTERISTICS




DESKS AND TABLES

- Tops in solid 40 mm MDP, with 2 mm edges;
- Side panels in solid 40 mm MDP;
- Front panel in MDP 15 mm;
- Junction between tops and side panels at 45° degrees with painted aluminum profile;
- Fixation system with screws with millimeter thread and metal screw bushings;
- Wood veneer option for side panel and top.



CABINETS

- Top and base in 40 mm MDP, with 2 mm edges;
- 15 mm MDP body;
- Height adjustable for using;
- Aluminum handle with painted finish;
- Soft closing hinges.



DRAWER UNITS

- Top and base in 40 mm MDP, with 2 mm edges;
- 15 mm MDP body;
- Metal handle with paint finish;
- Rolling drawer units with telescopic rails and simultaneous locking.



COLOR PATTERNS

AVAILABLE COLOR OPTIONS



2424 MARSALA



5555 MUNICH OAK



2415 MARSALA / BLACK



3215 HANOVER OAK / BLACK




3232 HANOVER OAK



4343 GRAPHITE



5515 MUNICH OAK / BLACK



1815 IRON WOOD / BLACK



2443 MARSALA / GRAPHITE



5543 MUNICH OAK / GRAPHITE



1843 IRON WOOD / GRAPHITE



3243 HANOVER OAK / GRAPHITE

METALLIC ACCESSORIES



15 BLACK



43 GRAPHITE

*Iron wood color, available only for Director Desks (DOM2090 / DOM2290 / DOM2222 / DOM2422 / DOM2223 / DOM2423).



2424 MARSALA



2415 MARSALA / BLACK



15 BLACK (METAL)

DOM1016 / DOM1216 / DOM2223



3232 HANOVER OAK



3243 HANOVER OAK / GRAPHITE



43 GRAPHITE (METAL)

DOM2510 / DOM2222 / RCP9050



3232 HANOVER OAK



15 BLACK (METAL)

DOM1021 / DOM1221 / DOM2114 / DOM1321



5555 MUNICH OAK




4343 GRAPHITE /
GRAPHITE



15 BLACK (METAL)


DOM1021 / DOM1221 / DOM1121 / DOM3214 / DOM1615 / ACS4045

Desks




DIRECTOR DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM2090	2000	900	740
DOM2290	2200	900	740



DIRECTOR DESK WITH CREDENZA (right)

Reference		Width (mm)	Depth (mm)	Height (mm)
DOM2222	Desk	2000/2260	900	740
	Cabinet	2200	500	610
DOM2422	Desk	2200/2460	900	740
	Cabinet	2200	500	610



DIRECTOR DESK WITH CREDENZA (left)


Reference		Width (mm)	Depth (mm)	Height (mm)
DOM2223	Desk	2000/2260	900	740
	Cabinet	2200	500	610
DOM2423	Desk	2200/2460	900	740
	Cabinet	2200	500	610

Conference Tables



CONFERENCE TABLE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM2014	2000	1400	740



CONFERENCE TABLE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM3214	3200	1400	740



CENTRAL CONFERENCE TABLE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1615	1600	1400	740



ANGULAR CONFERENCE TABLE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM2114	2440	1400/1000	740/2100



LOW CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1075	1000	450	750



MEDIUM CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1010	1000	450	1000



TALL CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1016	1000	450	1600



EXTRA TALL CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1021	1000	450	2100



TALL CABINET WITH NICHE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1116	1000	450	1600

Note: 02 big drawers and 02 doors.



EXTRA TALL CABINET WITH NICHE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1121	1000	450	2100

Note: 02 big drawers and 04 doors.



MINIBAR CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM2510	2600	600	1000



LOW BOOKCASE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1275	1000	450	750



MEDIUM BOOKCASE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1210	1000	450	1000



TALL BOOKCASE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1216	1000	450	1600



EXTRA TALL BOOKCASE

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1221	1000	450	2100



TALL TV AND MEDIA STAND

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1316	1000	450	1600



EXTRA TALL TV AND MEDIA STAND

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM1321	1000	450	2100



GLASS FOR BOOKCASE

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1099	1000	996	4

Note: For using with DOM1321 and DOM1316. Available only in white color.



DRAWER UNIT 01 DRAWER AND 01 HANGING FILE FOLDER DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM4250	420	500	555

Note: Simultaneous Locking.



DRAWER UNIT 03 DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
DOM4251	420	500	555

Note: Simultaneous Locking.

02

VITAGO COLLECTION



Management

Lexus Prime Line



Versatile and sophisticated, Lexus Prime line can be used in several work spaces. With a wide variety of modules and drawer units, it allows the construction of practical and harmonious rooms.



TECHNICAL CHARACTERISTICS



DESKS AND TABLES

- Top in 25 mm MDP, with 2 mm edges;
- Metal straight and angled legs in 50x50 mm tubes;
- Metal frame legs in 30x50 mm tube;
- Leg in natural wood with varnish finish;
- Front panel in MDP 15 mm;
- Fixation system through screws with millimeter thread and metal bushings.



CABINETS

- Top and base in 25 mm MDP;
- 15 mm MDP structure;
- Height adjustable levelers;
- Cabinet doors opening by touch;
- Soft closing hinges.



DRAWERS

- Drawers opening by side handle;
- Simultaneous locking in all drawers;
- Drawers with telescopic rails.



COLOR PATTERNS

AVAILABLE COLOR OPTIONS



1515 BLACK



2424 MARSALA



2929 CALVI



2415 MARSALA / BLACK



2413 MARSALA / WHITE



1414 GRAY



1010 PLUM



1919 TREVISO OAK



1015 PLUM / BLACK



1013 PLUM / WHITE



1111 CLAY



3939 NOGAL



5151 LINEN



3915 NOGAL / BLACK



3913 NOGAL / WHITE



1313 WHITE



5555 MUNICH OAK



5858 HAZELNUT OAK



2915 CALVI / BLACK



2913 CALVI / WHITE



3232 HANOVER OAK



1616 BERLIN OAK



1915 TREVISO OAK / BLACK



1913 TREVISO OAK / WHITE



4343 GRAPHITE



2443 MARSALA / GRAPHITE



5515 MUNICH OAK / BLACK



5513 MUNICH OAK / WHITE



2943 CALVI / GRAPHITE



1043 PLUM / GRAPHITE



5615 HAZELNUT OAK / BLACK



5613 HAZELNUT OAK / WHITE



5543 MUNICH OAK / GRAPHITE



5843 HAZELNUT OAK / GRAPHITE



3215 HANOVER OAK / BLACK



3213 HANOVER OAK / WHITE



3243 HANOVER OAK / GRAPHITE



1643 BERLIN OAK / GRAPHITE



1615 BERLIN OAK / BLACK



1613 BERLIN OAK / WHITE

FABRICS



71 BLUE FABRIC



75 GRAY FABRIC



73 BLACK FABRIC



72 RED FABRIC



74 GREEN FABRIC



70 YELLOW FABRIC



49 ROSÉ FABRIC



50 SILVER FABRIC

METALLIC LEGS



13 WHITE



15 BLACK



20 ALUMINUM



43 GRAPHITE



86 METALLIC YELLOW



87 METALLIC BROWN



88 METALLIC RED



89 METALLIC COPPER



3243 HANOVER OAK /
GRAPHITE



36 AGATE LACCA

LXP1810 / LXP1811 / ACS4045 / ACS1616



1515 BLACK / BLACK



2424 MARSALA / MARSALA

LXP1841 / ACS1515



1613 BERLIN OAK / WHITE



13 WHITE



74 GREEN FABRIC

LEX8116 / LXP1820 / LXP2315 / LXP5550 / LXP4016 / INF8136 / INF7236 / INF7215



4343 GRAPHITE /
GRAPHITE



5555 MUNICH OAK


LXP1830 / LXP2310 / INF2336 / INF2436 / INF7236 / INF7215 / INF3838 / INF7241 / INF7238 / ACS6400 / ACS4045

Desks




L-SHAPED EXECUTIVE DESK WITH CREDENZA LEFT SIDE (STRAIGHT LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1810	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2010	Desk 2000	800	740
	Cabinet 2030	500	607




L-SHAPED EXECUTIVE DESK WITH CREDENZA RIGHT SIDE (STRAIGHT LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1811	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2011	Desk 2000	800	740
	Cabinet 2030	500	607




L-SHAPED EXECUTIVE DESK WITH CREDENZA LEFT SIDE (ANGLED LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1820	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2020	Desk 2000	800	740
	Cabinet 2030	500	607




L-SHAPED EXECUTIVE DESK WITH CREDENZA RIGHT SIDE (ANGLED LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1821	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2021	Desk 2000	800	740
	Cabinet 2030	500	607




L-SHAPED EXECUTIVE DESK WITH CREDENZA LEFT SIDE (FRAME LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1830	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2030	Desk 2000	800	740
	Cabinet 2030	500	607




L-SHAPED EXECUTIVE DESK WITH CREDENZA RIGHT SIDE (FRAME LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1831	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2031	Desk 2000	800	740
	Cabinet 2030	500	607



L-SHAPED EXECUTIVE DESK WITH CREDENZA LEFT SIDE (WOODEN LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1840	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2040	Desk 2000	800	740
	Cabinet 2030	500	607



L-SHAPED EXECUTIVE DESK WITH CREDENZA RIGHT SIDE (WOODEN LEG)

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1841	Desk 1800	800	740
	Cabinet 2030	500	607
LXP2041	Desk 2000	800	740
	Cabinet 2030	500	607

Management

Storage



LOW CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP4011	400	500	1100



MEDIUM CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP4013	400	500	1300



TALL CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP4016	400	500	1600

Complements



BENCH WITH UPHOLSTERY

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP5550	550	500	495



AUXILIARY TOP

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1250	1230	500	135



LOW PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP2310	2030	1080	25



MEDIUM PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP2312	2030	1280	25



TALL PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP2315	2030	1580	25



MEDIUM ACOUSTIC DESK SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1940	1930	350	6



TALL ACOUSTIC DESK SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LXP1970	1930	600	6

03

VITAGO COLLECTION



Staff

Lexus Line



Lexus line stands out for having a complete solution for corporate spaces. It has several options of desks, Workstations and conference tables with several options of legs - straight, angled, frame and panel - composed of 50 mm, 40 mm and 30 mm tubes.

Lexus has a complete line of storage and filing units in a variety of formats, making it an excellent choice for management, directors and staff rooms.



TECHNICAL CHARACTERISTICS




DESKS

- Tops in MDP 25 mm with 2 mm edges;
- Side panel in MDP 25 mm;
- Metal straight and angled legs in 40x40 mm and 50x50 mm tube options;
- Metal frame in 30x50 mm tube;
- Front panel in MDP 15 mm;
- Fixing system through screws with millimeter thread and metal bushings.



CABINETS

- Top in MDP 25 mm with a 2 mm edge;
- Structure, back and front in MDP 15 mm;
- Levelers with internal access;
- Metal handle with satin chrome finish;
- Soft closing hinges;
- Steel pins to adjust the height of the shelves;
- Possibility of using metallic plinth (purchase separately).



DRAWER UNITS

- Tops in MDP 25 mm with 2 mm edge;
- 15 mm MDP body with 0.45 mm edge;
- 15 mm MDP drawer fronts with 1 mm edge;
- Metal handle with satin chrome finish;
- Drawers with simultaneous locking.



COLOR PATTERNS

AVAILABLE COLOR OPTIONS



1515 BLACK



1414 GRAY



1111 CLAY



1313 WHITE



2424 MARSALA



1010 PLUM



3939 NOGAL



5555 MUNICH OAK



3232 HANOVER OAK



4343 GRAPHITE



2943 CALVI / GRAPHITE



1943 TREVISIO OAK / GRAPHITE



5543 MUNICH OAK / GRAPHITE



3243 HANOVER OAK / GRAPHITE



2929 CALVI



1919 TREVISIO OAK



5151 LINEN



5858 HAZELNUT OAK



1616 BERLIN OAK



2443 MARSALA / GRAPHITE



1043 PLUM / GRAPHITE



3943 NOGAL / GRAPHITE



5843 HAZELNUT OAK / GRAPHITE



1643 BERLIN OAK / GRAPHITE



2415 MARSALA / BLACK



1015 PLUM / BLACK



3915 NOGAL / BLACK



2915 CALVI / BLACK



1915 TREVISIO OAK / BLACK



5515 MUNICH OAK / BLACK



5815 HAZELNUT OAK / BLACK



3215 HANOVER OAK / BLACK



1615 BERLIN OAK / BLACK



2413 MARSALA / WHITE



1013 PLUM / WHITE



3913 NOGAL / WHITE



2913 CALVI / WHITE



1913 TREVISIO OAK / WHITE



5513 MUNICH OAK / WHITE



5813 HAZELNUT OAK / WHITE



3213 HANOVER OAK / WHITE



1613 BERLIN OAK / WHITE

FABRICS



71 BLUE FABRIC



75 GRAY FABRIC



73 BLACK FABRIC



72 RED FABRIC



74 GREEN FABRIC



70 YELLOW FABRIC



49 ROSÉ FABRIC



50 SILVER FABRIC

LACCA



80 BLUE LACCA



81 RED LACCA



82 YELLOW LACCA



83 BLACK LACCA



84 WHITE LACCA



85 GREEN LACCA



34 SILVER LACCA



35 CONCRETE LACCA



36 AGATE LACCA



37 CITRINE LACCA

METALLIC WORKSTATIONS, DRAWER UNITS AND ACCESSORIES



13 WHITE



15 BLACK



20 ALUMINUM



43 GRAPHITE



86 METALLIC YELLOW



87 METALLIC BROWN



88 METALLIC RED



89 METALLIC COPPER

Note: For workstations drawer units in yellow, red, brown and copper, the socket box will be in black.

DESK LEGS AND METAL COLUMNS



13 WHITE



15 BLACK



20 ALUMINUM



43 GRAPHITE

GLASS



90 BLUE GLASS



91 RED GLASS



92 YELLOW GLASS



93 COLORLESS GLASS



94 BLACK GLASS



95 WHITE GLASS



96 GREEN GLASS

Desks



Staff




1913 TREVISO OAK
/WHITE

LEX8116 / LEX4716 / LEX8073 / LEX1560 / LEX9055 / LEX3742 / LEX1545 / ACS3015 / ACS1515



4343 GRAPHITE



5151 LINEN



43 GRAPHITE (METAL)

LEX1420 / LEX6060 E / LEX1433 / LEX3950 / LEX8111 / LEX1473

Desks




RECTANGULAR DESK 600 PANEL LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8065	800	600	740
LEX9065	900	600	740
LEX1065	1000	600	740
LEX1165	1100	600	740
LEX1265	1200	600	740
LEX1465	1400	600	740
LEX1565	1500	600	740
LEX1665	1600	600	740
LEX1765	1700	600	740
LEX1865	1800	600	740



RECTANGULAR DESK 700 PANEL LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8079	800	700	740
LEX9079	900	700	740
LEX1079	1000	700	740
LEX1179	1100	700	740
LEX1279	1200	700	740
LEX1479	1400	700	740
LEX1579	1500	700	740
LEX1679	1600	700	740
LEX1779	1700	700	740
LEX1879	1800	700	740



AUXILIARY DESK PANEL LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8056	800	450	740
LEX9056	900	450	740
LEX1056	1000	450	740



RECTANGULAR DESK 600 METALLIC STRAIGHT LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8061	800	600	740
LEX9061	900	600	740
LEX1061	1000	600	740
LEX1161	1100	600	740
LEX1261	1200	600	740
LEX1461	1400	600	740
LEX1561	1500	600	740
LEX1661	1600	600	740
LEX1761	1700	600	740
LEX1861	1800	600	740



RECTANGULAR DESK 700 METALLIC STRAIGHT LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8076	800	700	740
LEX9075	900	700	740
LEX1075	1000	700	740
LEX1175	1100	700	740
LEX1275	1200	700	740
LEX1475	1400	700	740
LEX1575	1500	700	740
LEX1675	1600	700	740
LEX1775	1700	700	740
LEX1875	1800	700	740



L-SHAPED DESK PANEL LEG - RIGHT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1234	1200	1200	740
LEX1235	1400	1200	740
LEX1236	1600	1200	740
LEX1423	1400	1400	740
LEX1419	1600	1400	740
LEX1629	1600	1600	740



L-SHAPED DESK PANEL LEG - LEFT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1213	1200	1200	740
LEX1222	1400	1200	740
LEX1223	1600	1200	740
LEX1422	1400	1400	740
LEX1418	1600	1400	740
LEX1615	1600	1600	740



L-SHAPED DESK METALLIC LEG - RIGHT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1217	1200	1200	740
LEX1219	1400	1200	740
LEX1221	1600	1200	740
LEX1421	1400	1400	740
LEX1417	1600	1400	740
LEX1617	1600	1600	740



L-SHAPED DESK METALLIC LEG - LEFT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1230	1200	1200	740
LEX1231	1400	1200	740
LEX1232	1600	1200	740
LEX1429	1400	1400	740
LEX1430	1600	1400	740
LEX1628	1600	1600	740



L-SHAPED MANAGER DESK PANEL LEG - RIGHT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1821	1800/800	1500/600	740
LEX2025	2000/800	1500/600	740



L-SHAPED MANAGER DESK PANEL LEG - LEFT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1816	1800/800	1500/600	740
LEX2016	2000/800	1500/600	740



L-SHAPED MANAGER DESK METALLIC LEG - RIGHT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1817	1800/800	1500/600	740
LEX2017	2000/800	1500/600	740



L-SHAPED MANAGER DESK METALLIC LEG - LEFT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1819	1800/800	1500/600	740
LEX2019	2000/800	1500/600	740

Desks - Light



4343 GRAPHITE

LEX1426 / LEX8111 / LEX3742 / LEX1473 / LEX1433 / LEX2126

Desks - Light



LIGHT RECTANGULAR DESK 600 METALLIC LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8062	800	600	740
LEX9062	900	600	740
LEX1062	1000	600	740
LEX1162	1100	600	740
LEX1262	1200	600	740
LEX1462	1400	600	740
LEX1562	1500	600	740
LEX1662	1600	600	740
LEX1762	1700	600	740
LEX1862	1800	600	740



LIGHT RECTANGULAR DESK 700 METALLIC LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8077	800	700	740
LEX9077	900	700	740
LEX1077	1000	700	740
LEX1177	1100	700	740
LEX1277	1200	700	740
LEX1477	1400	700	740
LEX1577	1500	700	740
LEX1677	1600	700	740
LEX1777	1700	700	740
LEX1877	1800	700	740



LIGHT L-SHAPED DESK METALLIC LEG - RIGHT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1224	1200	1200	740
LEX1225	1400	1200	740
LEX1226	1600	1200	740
LEX1426	1400	1400	740
LEX1424	1600	1400	740
LEX1624	1600	1600	740



LIGHT L-SHAPED DESK METALLIC LEG - LEFT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1227	1200	1200	740
LEX1228	1400	1200	740
LEX1229	1600	1200	740
LEX1427	1400	1400	740
LEX1428	1600	1400	740
LEX1627	1600	1600	740



LIGHT L-SHAPED MANAGER DESK METALLIC LEG - RIGHT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1818	1800/800	1500/600	740
LEX2018	2000/800	1500/600	740



LIGHT L-SHAPED MANAGER DESK METALLIC LEG - LEFT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1820	1800/800	1500/600	740
LEX2024	2000/800	1500/600	740

Complements - Desks



CIRCULAR CONNECTION

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX6060	600	600	25



CIRCULAR TERMINAL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1200	1215	600	740

Storage



UNDERMOUNT DRAWER UNIT 01 DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3942	330	425	145



UNDERMOUNT DRAWER UNIT 02 DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3742	330	425	285

With simultaneous locking.



ROLLING DRAWER UNIT 01 DRAWER AND 01 HANGING FILE FOLDER DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3850	360	500	500

With simultaneous locking.



ROLLING DRAWER UNIT 03 DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3851	360	500	500

With simultaneous locking.



ROLLING DRAWER UNIT 01 DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3950	360	500	650



ROLLING DRAWER UNIT 02 DRAWERS AND 01 HANGING FILE FOLDER DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3750	360	500	650

With simultaneous locking.



ROLLING DRAWER UNIT 04 DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3751	360	500	650

With simultaneous locking.



ROLLING DRAWER UNIT 04 SHARED DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3752	360	500	650

With simultaneous locking 2+2.



SIDE DRAWER UNIT 02 DRAWERS AND 01 HANGING FILE FOLDER DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3760	360	600	740

With simultaneous locking.



SIDE DRAWER UNIT 04 DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3761	360	600	740

With simultaneous locking.



FILING CABINET 04 HANGING FILE FOLDER DRAWERS WITH NICHE

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX4716	465	450	1585

With simultaneous locking.



LOW CABINET WITH 02 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1273	1200	450	735

3 shelves, 2 internal and 1 external.



LOW CABINET WITH 03 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1373	1200	450	735

2 shelves.



LOW CABINET WITH 02 HINGED DOORS AND NICHE

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1473	1400	450/600	735

3 shelves.



LOW CABINET FOR JUNCTION 02 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8173	800	450/600	735

1 internal shelf.



LOW CABINET WITH 02 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8073	800	450	735

1 internal shelf.



MEDIUM CABINET 02 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8111	800	450	1085

2 internal shelves.



TALL CABINET 02 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8116	800	450	1585

3 internal shelves, 1 fixed.



BOOKCASE CABINET 02 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8118	800	450	1585

1 internal shelf, 1 external shelf, and 1 fixed shelf.



EXTRA TALL CABINET 02 HINGED DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8121	800	450	2085


4 internal shelves, 1 of which is fixed.

Complements - Filing



MOVABLE SHELF

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8040	768	412	15



METALLIC LEGBOARD FOR CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX4542	455	420	50
LEX8042	790	420	50
LEX1242	1190	420	50



SEAT FOR ROLLING DRAWER UNIT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3549	355	495	50

Electric Height Adjustable Desks and Folding Desks



Staff



1520 BLACK / ALUMINUM



34 SILVER LACCA

LEX9570 / / LEX3850 / ACS4045 / ACS5990

Electric Height Adjustable Desks and Folding Desks




1111 CLAY / CLAY



15 BLACK (METAL)

LEX1464 / ACL4510


Electric Height Adjustable Desks and Folding Desks



ELECTRIC DESK 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9560	1000 Min. 1800 Max.	600	730 Min. 1210 Max.

Note: 220v



ELECTRIC DESK 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9570	1000 Min. 1800 Max.	700	730 Min. 1210 Max.

Note: 220v



ELECTRIC DESK 800 MM


Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9580	1000 Min. 1800 Max.	800	730 Min. 1210 Max.

Note: 220v




MDP DIVIDER PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9595	1000 Min. 1800 Max.	15	500



LACCA DIVIDER PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9597	1000 Min. 1800 Max.	15	500



FABRIC DIVIDING PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9596	1000 Min. 1800 Max.	15	500



FOLDING DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1264	1200	600	740
LEX1464	1400	600	740
LEX1664	1600	600	740



FOLDING DESK WITH POWER SOCKETS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1266	1200	600	740
LEX1466	1400	600	740
LEX1666	1600	600	740



CABLE SPINE FOR ELECTRIC DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS5990	55	55	605



2913 CALVI / WHITE



13 WHITE (METAL)

LEX2015 / LEX1420 / LEX2022 / LEX8173 / LEX8121 / LEX3751 / ACS6040

Conference



**CIRCULAR CONFERENCE TABLE
PANEL LEG**

Reference	Diameter (mm)	Height (mm)
LEX1100	Ø 1100	740



**CIRCULAR CONFERENCE TABLE
PANEL LEG WITH SOCKET BOX**

Reference	Diameter (mm)	Height (mm)
LEX1102	Ø 1100	740



**CIRCULAR CONFERENCE TABLE
METALLIC LEG**

Reference	Diameter (mm)	Height (mm)
LEX1101	Ø 1100	740



**RECTANGULAR CONFERENCE
TABLE PANEL LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1613	1600	1100	740
LEX2013	2000	1100	740
LEX2713	2700	1100	740




**RECTANGULAR CONFERENCE
TABLE PANEL LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3213	3200	1100	740




**RECTANGULAR CONFERENCE TABLE
PANEL LEG WITH 1 SOCKET BOX**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1620	1600	1100	740
LEX2020	2000	1100	740



**RECTANGULAR CONFERENCE TABLE
PANEL LEG WITH 2 SOCKET BOXES**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2720	2700	1100	740




**RECTANGULAR CONFERENCE TABLE
PANEL LEG WITH 02 SOCKET BOXES**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3220	3200	1100	740



**RECTANGULAR CONFERENCE
TABLE METALLIC LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1614	1600	1100	740
LEX2014	2000	1100	740
LEX2714	2700	1100	740



**RECTANGULAR CONFERENCE
TABLE METALLIC LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3314	3200	1100	740



**RECTANGULAR CONFERENCE TABLE
METALLIC LEG WITH 1 SOCKET BOX**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1621	1600	1100	740
LEX2021	2000	1100	740



**RECTANGULAR CONFERENCE TABLE
METALLIC LEG WITH 2 SOCKET BOXES**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2721	2700	1100	740



**RECTANGULAR CONFERENCE TABLE
METALLIC LEG WITH 2 SOCKET BOXES**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3321	3200	1100	740



**BOAT CONFERENCE TABLE
PANEL LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1611	1600	1100	740
LEX2011	2000	1100	740
LEX2711	2700	1100	740



**BOAT CONFERENCE TABLE
PANEL LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3211	3200	1100	740



**BOAT CONFERENCE TABLE
PANEL LEG WITH 1 SOCKET BOX**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1622	1600	1100	740
LEX2022	2000	1100	740



**BOAT CONFERENCE TABLE
PANEL LEG WITH 2 SOCKET BOXES**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2722	2700	1100	740



**BOAT CONFERENCE TABLE
PANEL LEG WITH 2 SOCKET BOXES**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3222	3200	1100	740



**BOAT CONFERENCE TABLE
METALLIC LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1612	1600	1100	740
LEX2012	2000	1100	740
LEX2712	2700	1100	740



**BOAT CONFERENCE TABLE
METALLIC LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3312	3200	1100	740



BOAT CONFERENCE TABLE METALLIC LEG WITH 1 SOCKET BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1623	1600	1100	740
LEX2023	2000	1100	740



BOAT CONFERENCE TABLE METALLIC LEG WITH 2 SOCKET BOXES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2723	2700	1100	740



BOAT CONFERENCE TABLE METALLIC LEG WITH 2 SOCKET BOXES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3323	3200	1100	740

Conference - Light



LIGHT RECTANGULAR CONFERENCE TABLE METALLIC LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1618	1600	1100	740
LEX2118	2000	1100	740
LEX2718	2700	1100	740



LIGHT CONFERENCE TABLE METALLIC LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3218	3200	1100	740



LIGHT RECTANGULAR CONFERENCE TABLE METALLIC LEG WITH 1 SOCKET BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1625	1600	1100	740
LEX2125	2000	1100	740



LIGHT RECTANGULAR CONFERENCE TABLE METALLIC LEG WITH 2 SOCKET BOXES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2725	2700	1100	740



LIGHT RECTANGULAR CONFERENCE TABLE METALLIC LEG WITH 2 SOCKET BOXES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3225	3200	1100	740



LIGHT BOAT CONFERENCE TABLE METALLIC LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1619	1600	1100	740
LEX2119	2000	1100	740
LEX2719	2700	1100	740



LIGHT BOAT CONFERENCE TABLE METALLIC LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3219	3200	1100	740




LIGHT BOAT CONFERENCE TABLE METALLIC LEG WITH 1 SOCKET BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1626	1600	1100	740
LEX2126	2000	1100	740



LIGHT BOAT CONFERENCE TABLE METALLIC LEG WITH 2 SOCKET BOXES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2726	2700	1100	740



LIGHT BOAT CONFERENCE TABLE METALLIC LEG WITH 2 SOCKET BOXES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3226	3200	1100	740

Workstations



Staff



3939 NOGAL



15 BLACK (METAL)



94 BLACK GLASS

LEP1014 / LEP1015 / LEX1339 / LEX5730 / LEX1042 / ACS6336 / ATM3523



1313 WHITE



13 WHITE (METAL)



88 RED (METALLIC ACCESSORIES)



84 RED LACCA

LEP1475 / LEP1479 / LEX5730 / LEX1338 / LEX6036 / LEP1414 / LEP1415 / LEX1340 / LEX3752 LEX2050 / LEX9915 / LEX6015 / LEX3223 / LEX3280 / LEX2030

Workstations



Staff



1313 WHITE




1919 TREVISO OAK

LEP1234 / LEP1215 / LEX3752 / LEX8111 / LEX1139 / LEX5730 / ACS6400



3915 NOGAL / BLACK



1515 BLACK



93 COLORLESS GLASS

LEP1444 / LEP1415 / LEX3752 / LEX8111 / LEX5730 / LEP1477 / LEP9047 / LEX1339

Workstations



Staff



LEP1334 / LEP1215 / LEX1139

5543 MUNICH OAK / GRAPHITE



RECTANGULAR TABLE STRAIGHT LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1060	1000	600	740
LEP1260	1200	600	740
LEP1460	1400	600	740
LEP1660	1600	600	740
LEP1860	1800	600	740



RECTANGULAR TABLE STRAIGHT LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1070	1000	700	740
LEP1270	1200	700	740
LEP1470	1400	700	740
LEP1670	1600	700	740
LEP1870	1800	700	740



RECTANGULAR TABLE ANGLED LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1061	1000	600	740
LEP1261	1200	600	740
LEP1461	1400	600	740
LEP1661	1600	600	740
LEP1861	1800	600	740



RECTANGULAR TABLE ANGLED LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1071	1000	700	740
LEP1271	1200	700	740
LEP1471	1400	700	740
LEP1671	1600	700	740
LEP1871	1800	700	740



RECTANGULAR TABLE FRAME LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1062	1000	600	740
LEP1262	1200	600	740
LEP1462	1400	600	740
LEP1662	1600	600	740
LEP1862	1800	600	740



RECTANGULAR TABLE FRAME LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1072	1000	700	740
LEP1272	1200	700	740
LEP1472	1400	700	740
LEP1672	1600	700	740
LEP1872	1800	700	740



AUXILIARY TABLE STRAIGHT LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP8045	800	450	740
LEP9045	900	450	740
LEP1045	1000	450	740




AUXILIARY TABLE ANGLED LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP8046	800	450	740
LEP9046	900	450	740
LEP1046	1000	450	740




AUXILIARY TABLE FRAME LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP8047	800	450	740
LEP9047	900	450	740
LEP1047	1000	450	740



DINÂMICA DIRECTOR DESK STRAIGHT LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1718	1700/700	1800/450	740
LEP1918	1900/700	1800/450	740



DINÂMICA DIRECTOR DESK ANGLED LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1728	1700/700	1800/450	740
LEP1928	1900/700	1800/450	740



DINÂMICA DIRECTOR DESK FRAME LEG

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1738	1700/700	1800/450	740
LEP1938	1900/700	1800/450	740



SINGLE WORKSTATION STRAIGHT LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1065	1000	600	740
LEP1265	1200	600	740
LEP1465	1400	600	740



SINGLE WORKSTATION STRAIGHT LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1075	1000	700	740
LEP1275	1200	700	740
LEP1475	1400	700	740



SINGLE WORKSTATION ANGLED LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1066	1000	600	740
LEP1266	1200	600	740
LEP1466	1400	600	740



SINGLE WORKSTATION ANGLED LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1076	1000	700	740
LEP1276	1200	700	740
LEP1476	1400	700	740




SIMPLE WORKSTATION FRAME LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1067	1000	600	740
LEP1267	1200	600	740
LEP1467	1400	600	740



SIMPLE WORKSTATION FRAME LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1077	1000	700	740
LEP1277	1200	700	740
LEP1477	1400	700	740



SIMPLE WORKSTATION PANEL LEG DEPTH 600 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1068	1000	600	740
LEP1268	1200	600	740
LEP1468	1400	600	740



SIMPLE WORKSTATION PANEL LEG DEPTH 700 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1078	1000	700	740
LEP1278	1200	700	740
LEP1478	1400	700	740

Workstations



**SIMPLE CONNECT
WORKSTATION DEPTH 600 MM**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1069	1000	600	740
LEP1269	1200	600	740
LEP1469	1400	600	740



**SIMPLE CONNECT
WORKSTATION DEPTH 700 MM**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1079	1000	700	740
LEP1279	1200	700	740
LEP1479	1400	700	740



**SIMPLE WORKSTATION
(WOODEN ANGLED LEG)**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1080	1000	600	740
LEP1280	1200	600	740
LEP1480	1400	600	740



**SIMPLE WORKSTATION
(WOODEN ANGLED LEG)**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1081	1000	700	740
LEP1281	1200	700	740
LEP1481	1400	700	740



**DOUBLE INITIAL WORKSTATION
STRAIGHT LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1012	1000	1200	740
LEP1212	1200	1200	740
LEP1412	1400	1200	740



**DOUBLE INITIAL WORKSTATION
STRAIGHT LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1014	1000	1400	740
LEP1214	1200	1400	740
LEP1414	1400	1400	740



**DOUBLE INITIAL WORKSTATION
ANGLED LETG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1022	1000	1200	740
LEP1222	1200	1200	740
LEP1422	1400	1200	740



**DOUBLE INITIAL WORKSTATION
ANGLED LETG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1024	1000	1400	740
LEP1224	1200	1400	740
LEP1424	1400	1400	740




**DOUBLE INITIAL WORKSTATION
FRAME LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1032	1000	1200	740
LEP1232	1200	1200	740
LEP1432	1400	1200	740




**DOUBLE INITIAL WORKSTATION
FRAME LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1034	1000	1400	740
LEP1234	1200	1400	740
LEP1434	1400	1400	740



**DOUBLE INITIAL WORKSTATION
PANEL LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1042	1000	1200	740
LEP1242	1200	1200	740
LEP1442	1400	1200	740



**DOUBLE INITIAL WORKSTATION
PANEL LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1044	1000	1400	740
LEP1244	1200	1400	740
LEP1444	1400	1400	740



**DOUBLE CONNECT
WORKSTATION DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1013	1000	1200	740
LEP1213	1200	1200	740
LEP1413	1400	1200	740



**DOUBLE CONNECT
WORKSTATION DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1015	1000	1400	740
LEP1215	1200	1400	740
LEP1415	1400	1400	740



**DOUBLE INITIAL WORKSTATION
(WOODEN ANGLED LEG) DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1015	1000	1200	740
LEP1332	1200	1200	740
LEP1532	1400	1200	740



**DOUBLE INITIAL WORKSTATION
(WOODEN ANGLED LEG) DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1134	1000	1400	740
LEP1334	1200	1400	740
LEP1534	1400	1400	740



**CONFERENCE TABLE
WORKSTATION STRAIGHT LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP2011	2000	1100	740



**CONFERENCE TABLE
WORKSTATION ANGLED LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP2021	2000	1100	740



**CONFERENCE TABLE
WORKSTATION FRAME LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP2031	2000	1100	740



**CONFERENCE TABLE
WORKSTATION STRAIGHT LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP2711	2700	1100	740



**CONFERENCE TABLE
WORKSTATION ANGLED LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP2721	2700	1100	740



**CONFERENCE TABLE
WORKSTATION FRAME LEG**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP2731	2700	1100	740



TALL CONFERENCE TABLE

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1880	1800	800	1000

Workstations - Light



1111 CLAY / CLAY



89 COPPER (METAL)



49 ROSÉ FABRIC

LEP1522 / LEP1513 / LEX3850 / LEX3549 / LEX1339 / INF2336
INF2436 / INF7236 / INF7241 / INF7238 / INF3838 / INF7215 / LEX3549

Workstations - Light



Staff



1313 WHITE



43 GRAPHITE



73 BLACK FABRIC



93 COLORLESS GLASS

LEX3850 / LEX3549 / LEX8073 / LEP1342 /
LEP1343 / LEX1133

Workstations - Light



1615 BERLIN OAK / BLACK



73 BLACK FABRIC



93 COLORLESS GLASS

LEX1263 / LEX7945 / LEP1522 / LEX1513 / LEX1339

Workstations - Light



Staff



5843 HAZELNUT OAK / GRAPHITE



5858 HAZELNUT OAK



43 GRAPHITE

LEX3752 / LEX8111 / LEX1273 / LEP1512 / LEP1513 / LEX1335



Workstations - Light



**LIGHT DOUBLE INITIAL WORKSTATION
STRAIGHT LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1112	1000	1200	740
LEP1312	1200	1200	740
LEP1512	1400	1200	740



**LIGHT DOUBLE INITIAL WORKSTATION
STRAIGHT LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1114	1000	1400	740
LEP1314	1200	1400	740
LEP1514	1400	1400	740



**LIGHT DOUBLE INITIAL WORKSTATION
ANGLED LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1122	1000	1200	740
LEP1322	1200	1200	740
LEP1522	1400	1200	740



**LIGHT DOUBLE INITIAL WORKSTATION
ANGLED LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1124	1000	1400	740
LEP1324	1200	1400	740
LEP1524	1400	1400	740




**LIGHT DOUBLE CONNECT
WORKSTATION DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1113	1000	1200	740
LEP1313	1200	1200	740
LEP1513	1400	1200	740




**LIGHT DOUBLE CONNECT
WORKSTATION DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1115	1000	1400	740
LEP1315	1200	1400	740
LEP1515	1400	1400	740




**LIGHT DOUBLE INITIAL WORKSTATION
PANEL LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1142	1000	1200	740
LEP1342	1200	1200	740
LEP1542	1400	1200	740



**LIGHT DOUBLE INITIAL WORKSTATION
PANEL LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1144	1000	1400	740
LEP1344	1200	1400	740
LEP1544	1400	1400	740



**LIGHT DOUBLE CONNECT WORKSTATION
PANEL LEG DEPTH 1200 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1143	1000	1200	740
LEP1343	1200	1200	740
LEP1543	1400	1200	740



**LIGHT DOUBLE CONNECT WORKSTATION
PANEL LEG DEPTH 1400 mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1145	1000	1400	740
LEP1345	1200	1400	740
LEP1545	1400	1400	740



**LIGHT SIMPLE WORKSTATION
STRAIGHT LEG DEPTH 600mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1165	1000	600	740
LEP1365	1200	600	740
LEP1565	1400	600	740



**LIGHT SIMPLE WORKSTATION
STRAIGHT LEG DEPTH 700mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1175	1000	700	740
LEP1375	1200	700	740
LEP1575	1400	700	740



**LIGHT SIMPLE WORKSTATION
ANGLED LEG DEPTH 600mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1166	1000	600	740
LEP1366	1200	600	740
LEP1566	1400	600	740



**LIGHT SIMPLE WORKSTATION
ANGLED LEG DEPTH 700mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1176	1000	700	740
LEP1376	1200	700	740
LEP1576	1400	700	740



**LIGHT SIMPLE CONNECT
WORKSTATION DEPTH 600mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1169	1000	600	740
LEP1369	1200	600	740
LEP1569	1400	600	740



**LIGHT SIMPLE CONNECT
WORKSTATION DEPTH 700mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1179	1000	700	740
LEP1379	1200	700	740
LEP1579	1400	700	740



**LIGHT SIMPLE WORKSTATION
PANEL LEG DEPTH 600mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1168	1000	600	740
LEP1368	1200	600	740
LEP1568	1400	600	740



**LIGHT SIMPLE WORKSTATION
PANEL LEG DEPTH 700mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1178	1000	700	740
LEP1378	1200	700	740
LEP1578	1400	700	740



**LIGHT SIMPLE CONNECT WORKSTATION
PANEL LEG DEPTH 600mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1170	1000	600	740
LEP1370	1200	600	740
LEP1570	1400	600	740



**LIGHT SIMPLE CONNECT WORKSTATION
PANEL LEG DEPTH 700mm**

Reference	Width (mm)	Depth (mm)	Height (mm)
LEP1180	1000	700	740
LEP1380	1200	700	740
LEP1580	1400	700	740



1313 WHITE



13 WHITE (METAL)

LEX3414 / LEX1334 / LEX1320 / LEX1330 / LEX1042 / LEX5730 / LEX6515 / ATM3523



TECHNICAL CHARACTERISTICS



Connectivity in the center cable tray. Cable management through the central leg (optional).



CPU support (optional)



Socket box



Metal legs with 50x50mm tube

Complements - Workstations



MONITOR SUPPORT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9020	900	220	155
LEX1120	1100	220	155
LEX1320	1300	220	155




FRONT UPPER PANEL MDP 25MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9034	900	25	250
LEX1134	1100	25	250
LEX1334	1300	25	250




FRONT DIVIDER PANEL WITH GLASS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9033	900	25	340
LEX1133	1100	25	340
LEX1333	1300	25	340




FRONT UPPER PANEL MDP 15MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9035	900	15	250
LEX1135	1100	15	250
LEX1335	1300	15	250




UPPER SIDE PANEL MDP 15MM

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX5034	585	15	250
LEX6034	685	15	250




FRONT UPPER PANEL FABRIC

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9037	900	15	250
LEX1137	1100	15	250
LEX1337	1300	15	250




UPPER SIDE PANEL FABRIC

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX5035	585	15	250
LEX6035	685	15	250




FRONT UPPER PANEL LACCA

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9038	900	15	250
LEX1138	1100	15	250
LEX1338	1300	15	250




UPPER SIDE PANEL LACCA

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX5036	585	15	250
LEX6036	685	15	250




FRONT UPPER PANEL GLASS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9039	900	15	250
LEX1139	1100	15	250
LEX1339	1300	15	250



FRONT UPPER PANEL IN STEEL


Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9040	900	2	300
LEX1140	1100	2	300
LEX1340	1300	2	300



HORIZONTAL STEEL SUPPORT FOR PAPER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3223	320	230	90

Adaptable to panels: LEX9040 / LEX1140 / LEX1340.



VERTICAL STEEL SUPPORT FOR PAPER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3280	320	80	220

Adaptable to panels: LEX9040 / LEX1140 / LEX1340.



PEN HOLDER SUPPORT IN STEEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX6015	60	60	150


Adaptable to panels: LEX9040 / LEX1140 / LEX1340.



CLIPS HOLDER SUPPORT IN STEEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX6016	60	65	150

Adaptable to panels: LEX9040 / LEX1140 / LEX1340.



CELL PHONE HOLDER SUPPORT IN STEEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9915	90	15	120

Adaptable to panels: LEX9040 / LEX1140 / LEX1340.



PHONE HOLDER SUPPORT IN STEEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2050	20	20	50



BAG AND BACKPACKS SUPPORT IN STEEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2030	20	25	30



DOUBLE SIDE STORAGE UNIT FOR DOUBLE WORKSTATION

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9030	900	300	300
LEX1130	1100	300	300
LEX1330	1300	300	300



FRONT PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7036	700	15	360
LEX9036	900	15	360
LEX1136	1100	15	360
LEX1336	1300	15	360
LEX1536	1500	15	360

For using only with rectangular tables.

Complements - Workstations



CENTRAL LEG CABLE MANAGEMENT RAIL


Reference	Width (mm)	Depth (mm)	Height (mm)
LEX5730	575	300	50



SIDE LEG CABLE MANAGEMENT RAIL


Reference	Width (mm)	Depth (mm)	Height (mm)
LEX6515	645	150	45

For using on tables with beam and angled leg.



DOUBLE CPU SUPPORT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9042	900	420	350
LEX1042	1000	420	350



SIMPLE CPU SUPPORT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2242	220	450	480



SIDE LEG CABLE MANAGEMENT RAIL FRAME

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX6115	612	150	45



SIMPLE CABLE TRAY 740X133X95 mm

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7433	740	133	95

Single workstation rail 1000 mm wide.



SIMPLE CABLE TRAY 940X133X95 mm

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9433	940	133	95


Tray for single workstation 1200 mm and 1400 mm width.



CABLE TRAY 940X250X125 mm

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9425	940	250	125


For conference table only.



DOUBLE CABLE TRAY 740X360X95 mm

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7436	740	360	95

Tray for double workstation width of 1000 mm.



DOUBLE CABLE TRAY 940X360X95 mm

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9436	940	360	95

Gutter for double WORKSTATION width of 1200 mm and 1400 mm.




DOUBLE PLASTIC RAIL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7533	740	255	50
LEX9533	940	255	50

LEX7533 - Rail for double workstation width of 1000 mm.

LEX9533 - Rail for double workstation width of 1200 mm and 1400 mm.



SIMPLE PLASTIC RAIL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7536	740	125	50
LEX9536	940	125	50

LEX7536 - Rail for double workstation width of 1000 mm.


LEX9536 - Rail for double workstation width of 1200 mm and 1400 mm.



SOCKET BOX 9 POINT ABS 3 ELECTRICAL, 4 LOGIC, USB AND HDMI

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS2010.13	220	110	92
ACS2010.15	220	110	92
ACS2010.20	220	110	92
ACS2010.43	220	110	92


*Plugs sold separately.



METALLIC SOCKET BOX FOR 6 ELECTRICAL, 6 LOGIC, USB AND HDMI

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS2012.13	220	110	92
ACS2012.15	220	110	92
ACS2012.20	220	110	92
ACS2012.43	220	110	92

*Plugs sold separately.




LOW CABINET FOR MANAGER DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8063	800	450	610




LOW CABINET 2 DRAWERS AND 01 FOLDER AND 1 SLIDING DOOR FOR WORKSTATION

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1263	1200	450	610



UNDERMOUNT DRAWER FOR WORKSTATIONS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3842	330	440	350



SEAT FOR CABINET

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7945	795	445	50



STRUCTURAL STRINGER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX8092	900	30	50
LEX1092	1100	30	50
LEX1292	1300	30	50
LEX1492	1500	30	50
LEX1692	1700	30	50



ROLLING DRAWER UNIT 1 DRAWER AND 1 HANGING FILE FOLDERS DRAWER

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3850	360	500	500

With simultaneous locking.



ROLLING DRAWER UNIT 3 DRAWERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3851	360	500	500


With simultaneous locking.

04

VITAGO COLLECTION



Reception



Being the first element to be visualized in a corporation, the reception area plays an important role in the presentation of the company. With that in mind, Gebb Work developed Reception line, which combines aesthetics, expression and functionality, allowing the creation of elegant and bold compositions.

TECHNICAL CHARACTERISTICS



RECEPTION DESKS


- Tops and side panels in MDP 40 mm;
- Front panel in MDP 15 mm;
- Fixing system through millimeter thread screws and metallic bushings.

CABINETS

- Top, base and sides in MDP 40 mm;
- Doors, backs and shelves in 15 mm MDP;
- Fixing system through millimeter thread screws and metallic bushings.

COLOR PATTERNS

AVAILABLE COLOR OPTIONS



GLASS





1111 CLAY



85 CITRINE LACCA

RCP1235 / RCP1311 / RCP5011 / RCP1077 / RCP1348

Reception



1313 WHITE




1919 TREVISO OAK



95 WHITE GLASS

RCP9050 / RCP1511 / RCP1616 / RCP1674 / RCP6850
RCP5011 / RCP1076 / RCP1548 / RCP1549 / RCP1512 / ACS4045

Reception



LOW RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1274	1200	750	740
RCP1474	1400	750	740
RCP1674	1600	750	740



LOW RECEPTION DESK COMPLEMENT

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1174	1120	746	740
RCP1374	1320	746	740
RCP1574	1520	746	740




TALL RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1211	1200	750	1100
RCP1411	1400	750	1100
RCP1611	1600	750	1100



TALL RECEPTION DESK COMPLEMENT

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1111	1120	746	1100
RCP1311	1320	746	1100
RCP1511	1520	746	1100



TALL RECEPTION DESK CORNER COMPLEMENT

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1212	1200	1200	1100
RCP1414	1400	1400	1100
RCP1616	1600	1600	1100



UPPER PANEL FOR LOW RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1112	1100	125	15
RCP1312	1300	125	15
RCP1512	1500	125	15



FRONT LOW / TALL RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1148	1100	485	15
RCP1348	1300	485	15
RCP1548	1500	485	15



FRONT CORNER DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1149	1165	485	15
RCP1349	1365	485	15
RCP1549	1565	485	15



LEFT SIDE PANEL TALL CLOSING

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1075	1085	750	40



RIGHT SIDE PANEL TALL CLOSING

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1076	1085	750	40



TALL CENTRAL PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1077	1085	750	40



LEFT SIDE PANEL LOW CLOSING

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP7275	725	750	40



RIGHT SIDE PANEL LOW CLOSING

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP7276	725	750	40



RIGHT/LEFT DIVIDER LOW CLOSING

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP7277	725	750	40




LOW CENTRAL PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP6850	680	500	40



CLOSING CABINET 1 DOOR

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP5011	500	750	1100




COFFEE TABLE WITH GLASS

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP9050	900	500	335



SIDE TABLE WITH GLASS

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP5050	500	500	500



SIDEBOARD WITH GLASS

Reference	Width (mm)	Depth (mm)	Height (mm)
RCP1235	1200	350	800

Office

Reception



3915 NOGAL / BLACK



15 BLACK (METAL)

LEX1510 / LEX1516 / LEX1511 / LEX8111



L-SHAPED RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX1210	1200/600/250	1200/600/250	1100
LEX1510	1500/600/250	1500/600/250	1100



RECTANGULAR RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9011	900	600/250	1100
LEX1211	1200	600/250	1100
LEX1311	1350	600/250	1100
LEX1511	1500	600/250	1100



LOW RECTANGULAR RECEPTION DESK

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9016	900	600	740
LEX1216	1200	600	740
LEX1316	1350	600	740
LEX1516	1500	600	740



Complements

COLOR PATTERNS



AVAILABLE COLOR OPTIONS



1515 BLACK



2424 MARSALA



2929 CALVI



1414 GRAY



1010 PLUM



1919 TREVISO OAK



1111 CLAY



3939 NOGAL



5151 LINEN



1313 WHITE



5555 MUNICH OAK



5858 HAZELNUT OAK



3232 HANOVER OAK



1616 BERLIN OAK



4343 GRAPHITE

FABRICS



71 BLUE FABRIC



75 GRAY FABRIC



73 BLACK FABRIC



72 RED FABRIC



74 GREEN FABRIC



70 YELLOW FABRIC



49 ROSÉ FABRIC



50 SILVER FABRIC

LACCA



80 BLUE LACCA



81 RED LACCA



82 YELLOW LACCA



83 BLACK LACCA



84 WHITE LACCA



85 GREEN LACCA



34 SILVER LACCA



35 CONCRETE LACCA



36 AGATE LACCA



37 CITRINE LACCA

METALLIC STRUCTURES INFINITY LINE



13 WHITE



15 BLACK



20 ALUMINUM



43 GRAPHITE



86 METALLIC YELLOW



87 METALLIC BROWN



88 METALLIC RED



89 METALLIC COPPER

DESK LEGS AND METAL COLUMNS



13 WHITE



15 BLACK



20 ALUMINUM



43 GRAPHITE

Infinity



1919 TREVISO OAK



15 BLACK (METAL)

INF8236 / INF8136 / INF2336 / INF2436 / INF3636 / INF7236 / INF1036

INF3615 / INF7215 / INF7241 / INF1041 / INF3838 / LEP2011



SIDE 01 MODULE

Reference	Width (mm)	Depth (mm)	Height (mm)
INF4236	360	25	425



SIDE 02 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF8136	360	25	810



SIDE 03 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF1136	360	25	1195



SIDE 04 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF1536	360	25	1580



SIDE 05 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF1936	360	25	1965



SIDE 06 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF2336	360	25	2350



DIVISION 01 MODULE

Reference	Width (mm)	Depth (mm)	Height (mm)
INF4336	360	25	425



DIVISION 02 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF8236	360	25	810



DIVISION 03 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF1236	360	25	1195



DIVISION 04 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF1636	360	25	1580




DIVISION 05 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF2036	360	25	1965




DIVISION 06 MODULES

Reference	Width (mm)	Depth (mm)	Height (mm)
INF2436	360	25	2350




SHELF

Reference	Width (mm)	Depth (mm)	Height (mm)
INF3636	360	360	25
INF7236	720	360	25
INF1036	1080	360	25
INF3637	360 Min. 1080 Max.	360	25



"C" SHELF FOR SUPPORT

Reference	Width (mm)	Depth (mm)	Height (mm)
INF3641	360	360	410
INF7241	720	360	410
INF1041	1080	360	410
INF3640	360 Min. 1080 Max.	360	410



WALL CABINET WITH TILTING DOOR

Reference	Width (mm)	Depth (mm)	Height (mm)
INF7238	720	360	360
INF1038	1080	360	360
INF7237	720 Min. 1080 Max.	360	360



LOW CABINET 01 DOOR

Reference	Width (mm)	Depth (mm)	Height (mm)
INF3674	360	360	745




LOW CABINET 02 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
INF7274	720	360	745



OPEN STORAGE UNIT

Reference	Width (mm)	Depth (mm)	Height (mm)
INF3838	360	360	360
INF3839	360 Min. 1080 Max.	360	360



ORGANIZER BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
INF3615	360	360	150
INF7215	720	360	150
INF3616	360 Min. 1080 Max.	360	150

Lockers



13 WHITE



14 GRAY



43 GRAPHITE



1320 WHITE / ALUMINUM



49 ROSÉ FABRIC

LOC8016 / LOC4242
LEP1234 / LEX1135

Lockers



SIMPLE LOCKER FOR 01 DOOR

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4040	400	435	420



SIMPLE LOCKER FOR 02 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4080	400	435	820




SIMPLE LOCKER FOR 03 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4012	400	435	1220



SIMPLE LOCKER FOR 04 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4016	400	435	1620



DOUBLE LOCKER FOR 02 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC8040	800	435	420




DOUBLE LOCKER FOR 04 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC8080	800	435	820



DOUBLE LOCKER FOR 06 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC8012	800	435	1220



DOUBLE LOCKER FOR 08 DOORS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC8016	800	435	1620




DOOR FOR LOCKERS

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4141	400	400	15




DOOR FOR LOCKERS LACCA

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4242	400	400	15




LEGBOARD FOR SIMPLE LOCKER

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC4045	400	435	165



LEGBOARD FOR DOUBLE LOCKER

Reference	Width (mm)	Depth (mm)	Height (mm)
LOC8045	800	435	165



SEAT

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX7945	795	445	50

Call Center



LEX9210 / LEX3333 / LEX4444

13 WHITE



LEX9113 / LEX9213 / LEX9013 / LEX9413

1171 CLAY / BLUE



LEX9086 / LEX8116 / LEX4716 / LEX8073 / LEX1273

1111 CLAY



13 WHITE (METAL)



LEX3333 / LEX4444




1414 GRAY

LEX9114 / LEX9214 / LEX9014 / LEX9314 / LEX9085 / LEX8121 / LEX8116 / LEX4716

Call Center





LEFT SIDE PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9114+Color	900	25	1350
LEX9115+Color	1000	25	1350




CENTRAL PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9214+Color	900	25	1350
LEX9215+Color	1000	25	1350




RIGHT SIDE PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9014+Color	900	25	1350
LEX9015+Color	1000	25	1350




SIMPLE FRONT PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9314+Color	900	25	1350
LEX9315+Color	1000	25	1350



LEFT SIDE PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9112+Color	900	25	1350
LEX9113+Color	1000	25	1350




CENTRAL PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9212+Color	900	25	1350
LEX9213+Color	1000	25	1350




RIGHT SIDE PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9012+Color	900	25	1350
LEX9013+Color	1000	25	1350



SIMPLE FRONT PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9312+Color	900	25	1350
LEX9313+Color	1000	25	1350



DOUBLE FRONT PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9412+Color	900	25	1350
LEX9413+Color	1000	25	1350



CONNECTOR 2 SIDES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX2222+Color	25	25	1335




CONNECTOR 3 SIDES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX3333+Color	25	25	1335




CONNECTOR 4 SIDES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX4444+Color	25	25	1335




FIXED TOP

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9085+Color	900	750	25
LEX1085+Color	1000	750	25



TOPS FOR ADJUSTABLE STRUCTURE


Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9086+Color	895	780	25
LEX9090+Color	895	900	25
LEX1078+Color	995	780	25
LEX1086+Color	995	900	25



INDIVIDUAL STRUCTURE WITHOUT BASE

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9010+Color	900	630	970
LEX9110+Color	1000	630	970

Monitor height: Min. 615mm | Max. 970 mm
Keyboard height: Min. 615mm | Max. 810 mm



INDIVIDUAL STRUCTURE WITH BASE

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9210+Color	900	700	970

Monitor height: Min. 615mm | Max. 970 mm
Keyboard height: Min. 615mm | Max. 810 mm

Call Center - Beehive



1414 GRAY



37 CITRINE LACCA



20 ALUMINUM

LEX9007 / LEX9006 / LEX9005 / LEX5555 / LEX5656
LEX9200 / LEX9808 / LOC8016 / LOC4242

Call Center - Beehive



FRONT PANEL WITHOUT ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9007	490	25	1335



FRONT PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9107	490	25	1335



FRONT PANEL WITH ACOUSTIC SCREEN 2 SIDES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9108	490	25	1335



LEFT SIDE PANEL WITHOUT ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9006	600	25	1335



RIGHT SIDE PANEL WITHOUT ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9005	600	25	1335



LEFT SIDE PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9106	600	25	1335



RIGHT SIDE PANEL WITH ACOUSTIC SCREEN

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9105	600	25	1335



CONNECTOR 2 SIDES

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX5555	51	51	1335



CONNECTOR 3 SIDES


Reference	Width (mm)	Depth (mm)	Height (mm)
LEX5656	51	51	1335



INDIVIDUAL STRUCTURE WITHOUT BASE

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9200	900	556	591

Monitor height: min. 615mm | Max. 970 mm
Keyboard height: min. 615mm | Max. 810 mm



CALL CENTER TOP

Reference	Width (mm)	Depth (mm)	Height (mm)
LEX9808	900	800	25

General Complements



3243 HANOVER OAK / GRAPHITE



84 AGATE LACCA

LXP1810 / LXP1811 / ACS4045 / ACS1616

General Complements



EDITABLE PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1515	100 Min.	100 Min.	15
	2700 Max.	1100 Max.	
ACS2525	100 Min.	100 Min.	25
	2700 Max.	1100 Max.	
ACS3031	200 Min.	200 Min.	30
	2700 Max.	1100 Max.	
ACS4040	200 Min.	200 Min.	40
	2700 Max.	1100 Max.	

Note: Fully editable, direction of the grain.



EDITABLE PANEL IN LACCA

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1616	200 Min.	200 Min.	15
	2000 Max.	1100 Max.	



WALL PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1246	1200	40	450
ACS1546	1500	40	450
ACS1245	600 Min.	40	300 Min.
	2700 Max.		1800 Max.


Note: With cable management.



RIPED PANEL

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS4045	200 Min.	45	300 Min.
	1800 Max.		2700 Max.

Note: Measures from 50 to 50 mm.



OPEN WALL STORAGE UNIT

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS4030	390	360	390
ACS8030	800	360	390
ACS1230	1200	360	390



WALL CABINET


Reference	Width (mm)	Depth (mm)	Height (mm)
ACS8032	800	375	390
ACS1233	1200	375	390

Note: Handle sold separately.



RECTANGULAR MONITOR SUPPORT 25 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS3030	300	300	155



SHELF WITH INVISIBLE SUPPORT

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS3025	450 Min.	300	25
	2700 Max.		
ACS3040	450 Min.	300	40
	2700 Max.		



BIN

Reference	Width (mm)	Depth (mm)	Height (mm)
ACL4510	450	450	1000



PANEL SUPPORT

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1247	250	65	25

Note: Contains 02 supports and 02 sleepers.

Accessories



STIVO METAL HANDLE KIT 128 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1019	150	30	10



METALLIC PROFILE HANDLE KIT

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1022	250	30	10



MANO METALLIC HANDLE KIT 128 MM

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1021	150	25	25



SCREW EYE KIT 6 MM FOR TOP FIXING

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1017	25	25	40



SCREW EYE KIT 15 MM FOR TOP FIXING

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1020	25	25	40



WALL PANEL HARDWARE KIT

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1010+Color	-	-	-



HARDWARE KIT FOR ASSEMBLY

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1011+Color	-	-	-



SUPPORT FOR HANGING FILE FOLDER

Reference	Width (mm)	Depth (mm)	Height (mm)
ARS7140.15	768	410	60

Maximum supported weight: 20 kg.



SUPPORT FOR HANGING FOLDER ECONOMIC

Reference	Width (mm)	Depth (mm)	Height (mm)
ARS7142.15	768	410	60

Maximum supported weight: 15 kg.



CYLINDRICAL LEG 2 1/2" D.63.5 X715

Reference	Width (mm)	Depth (mm)	Height (mm)
ACP7670 + Color	63,5	63,5	715



UNIVERSAL FIXING SYSTEM FOR TV

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1111	80	4025	-



VERTICAL STEEL SUPPORT FOR PAPER

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS3015	310	45	230



HORIZONTAL STEEL SUPPORT FOR PAPER

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS3115	330	240	130



TV ARTICULATED SUPPORT 360 FOR LCD DISPLAY 632 BLACK

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6336.15	480	632	360



LIGHT FIXTURE

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6400	520	20	520

Note: Lumen flux of 400 lumens.

Electrical Accessories



SOCKET BOX 09 POINTS
04 ELECTRICAL, 03 LOGIC, USB AND HDMI

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS2010.13	220	110	92
ACS2010.15	220	110	92
ACS2010.20	220	110	92
ACS2010.43	220	110	92

*Plugs sold separately.



SOCKET BOX 09 POINTS 04 ELECTRICAL,
03 LOGIC, USB AND HDMI METAL COVER

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS2011.13	220	110	92
ACS2011.15	220	110	92
ACS2011.20	220	110	92
ACS2011.43	220	110	92

*Plugs sold separately.



METALLIC SOCKET BOX FOR 06
ELECTRICAL, 06 LOGIC, USB AND HDMI

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS2012.13	220	110	92
ACS2012.15	220	110	92
ACS2012.20	220	110	92
ACS2012.43	220	110	92

*Plugs sold separately.



KIT 04 ELECTRIFIABLE SOCKETS

Reference	Width (mm)	Depth (mm)	Height (mm)
ATM3523.15	35	22	30



HDMI SOCKET / CONNECTOR
(AMENDMENT TYPE) ONLY FOR USE WITH ACS2010 BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1112	40	35	30



SOCKET / USB CONNECTOR
(AMENDMENT TYPE) ONLY FOR USE IN ACS2010 BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1113	40	35	30



5V 2.1A USB CHARGER CONNECTOR
ONLY FOR USE IN ACS2010 BOX

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS1114	40	35	30



UNIVERSAL CHARGER EXTENSION
SOCKETS INDUCTION/USB - BLACK

Reference	Diám. (mm)
ACS6060	75



RJ11 TELEPHONE SOCKET

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6041.15	67	43	30



RJ45 BOTTOM SOCKET CAT 5

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6042.15	67	43	30



BOTTOM SOCKET RJ45
ELECTRICAL SOCKET CAT 06

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6043.15	67	43	30



USB CHARGER SOCKET 2A-BIV

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6044.15	67	43	30



ELECTRICAL SOCKET

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS6040.15	67	43	30



EXTENSION SOCKETS

Reference	Width (mm)	Depth (mm)	Height (mm)
ACE2635.15	260	35	35



DUCT FOR VERTICAL CABLES
595X80X25 STEEL WITHDRAWAL COVER

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS5980+Color	595	80	25



DUCT FOR FIXED VERTICAL
CABLES IN STEEL 580X50/70X30

Reference	Width (mm)	Depth (mm)	Height (mm)
ACS5850+Color	580	50/70	30



CABLE MANAGEMENT RAIL

Reference	Width (mm)	Depth (mm)	Height (mm)
ACC0700+Color	700	60	70/50
ACC0800+Color	800	60	70/50
ACC0900+Color	900	60	70/50
ACC1000+Color	1000	60	70/50
ACC1100+Color	1100	60	70/50
ACC1200+Color	1200	60	70/50
ACC1300+Color	1300	60	70/50
ACC1400+Color	1400	60	70/50
ACC1500+Color	1500	60	70/50
ACC1600+Color	1600	60	70/50



KIT WITH 05 CABLE MANAGEMENT
OPENINGS

Reference	Width (mm)	Depth (mm)	Height (mm)
ACP0060.15	67	67	30
ACP0060.14	67	67	30
ACP0060.13	67	67	30
ACP0060.43	67	67	30



RIGHT CABLE MANAGEMENT
OPENING

Reference	Width (mm)	Depth (mm)	Height (mm)
ACP0061.15	67	67	30
ACP0061.14	67	67	30
ACP0061.13	67	67	30
ACP0061.43	67	67	30



LEFT CABLE MANAGEMENT
OPENING

Reference	Width (mm)	Depth (mm)	Height (mm)
ACP0062.15	67	67	30
ACP0062.14	67	67	30
ACP0062.13	67	67	30
ACP0062.43	67	67	30



CENTRAL CABLE MANAGEMENT
OPENING

Reference	Width (mm)	Depth (mm)	Height (mm)
ACP0063.15	67	67	30
ACP0063.14	67	67	30
ACP0063.13	67	67	30
ACP0063.43	67	67	30



We believe that spaces
inspire people.

Gebb Work Mobiliário para Escritório Ltda.

+ 55 54 3454 1105
contato@gebbwork.com.br

Felix Roman 190 Street, São Valentim
Bento Gonçalves - RS

gebbwork.com.br



